| | | POPULATIO | N ESTIMAT | ES | LONG | G-TERM CAR | E | LOCAL HI | EALTH DEPARTM | | | | |
|-----------------------------------------------------------------------|--------------|-------------|-----------------|-------------------------------|------------------------------------------------------------------------------------|-------------|--------------|--------------------------------------------------------------------------|-------------------|------------|--|--|--|
| _ | | | | 400.000 | | | | Per | | | | | |
| Total 2004 Population 192,890 | | | | | Community Optio | ons and MA | waiver | Staffing - FTE | Numban | 10,000 | | | |
| Population per square mile 579 | | | | | i as nono reports | s costs to | i. selvices | Stailing - FIE | Nulliber | 2.7 | | | |
| | County | ranking i | n etata (| : 3/9 1 ₋ 72\ 3 | | Clients | Costs | Total staff Administrative | 7 0 | 0.4 | | | |
| | oddiicy | , ranking i | ii state (| 1-12) 0 | COP MA Waiver * | 43 | \$749 707 | Public health no Other prof. sta Technical/Parapo Support staff | 7.0 urses 10.8 | 0.4 | | | |
| | Age | Female | Male | Total | MA Waiver * | 40 | Ψ143,101 | Other prof. sta | ff 18.0 | 0.9 | | | |
| ł | 0-14 | 19,530 | | 40,020 | CIPIA | 66 | \$3.222.354 | Technical/Parap | rof. 8.2 | 0.4 | | | |
| | 15-19 | 6,620 | 7,390 | 14,010 | CIP1B | 239 | \$5.061.325 | Support staff | 7.5 | 0.4 | | | |
| | 20-24 | 5,960 | 6,540 | 12,500 | CIP2 | 109 | \$1,548,067 | | | | | | |
| | 25-29 | 5,840 | 5,950 | 11,790 | MA Waiver * CIP1A CIP1B CIP2 COP-W CLTS Brain Injury Total COP/Wvrs | 196 | \$1,788,099 | Funding Total Local Taxes | | Per capita | | | |
| | 30-34 | 5,970 | 6,020 | 11,980 | CLTS | 45 | \$813,833 | Total | \$3,772,261 | \$19.66 | | | |
| | 35-39 | 7,030 | 7,010 | 14,040 | Brain Injury | 5 | \$331,671 | Local Taxes | \$1,856,839 | \$9.68 | | | |
| | 10-44 | 8,210 | 8,130 | 16,330 | Total COP/Wvrs | 703 | \$13,515,056 | | | | | | |
| | 15-54 | 14,740 | 14,700 | | | | | LICENSE | | | | | |
| | 55-64 | 9,860 | 9,370 | 19,230 | \$1,138,016 of | the aboye | waiver costs | _ | | | | | |
| | 65-74 | 6,320 | 5,240 | 11,560 | were paid as 1 | Local matc | h/overmatch | Type | Capacity | Facilities | | | |
| | 75-84 | 5,150 | 3,470 | 8,620 | using COP fund | ds. Inis | amount is | Bed & Breaktast | 36 | 11 | | | |
| | 85+ [o+o] | 2,360 | 1,030 | 3,380 | not included i | in above c | OP COSTS. | Type Bed & Breakfast Camps Hotels, Motels Tourist Rooming Pools | 807 1 451 | 10 | | | |
| | Γotal | 97,540 | 95,350 | 192,890 | * Waiver costs | s nonontod | hono | Tourist Posming | 1,401 | ∠8 1 | | | |
| | Age | Female | Male | Total | include feder | s reported | וופו פ | Tourist Roomiting | J | 1 57 | | | |
| | 0-17 | 23,460 | 24,940 | 48,380 | THETAGE LEGEL | ar Tullurii | y. | Restaurants | | 746 | | | |
| | 18-44 | 35,700 | 36,610 | 72,290 | | Clients | Costs | Vending | | 32 | | | |
| | 15-64 | 24,600 | 24.070 | 48,670 | Eligible and | OTTOTICO | 00010 | Verice | | 02 | | | |
| 1 | 65+ | 13,830 | 24,070 9,740 | 23,560 | Eligible and Waiting | 164 | n/a | | | | | | |
| 7 | Γotal | 97,540 | 95,350 | 192,890 | | | | | | | | | |
| İ | | • | , | • | (Family Care no | ot provide | d in county) | WIC PARTICIPANTS | | | | | |
| F | Poverty | Estimates | for 2000 | | ` | • | - , | | | | | | |
| | | Est | imate | (C.I.+/-) | | | | | | Number | | | |
| All ages 15,868 689 8.4% (4%) Ages 0-17 6,059 369 11.9% (6%) | | | | 689 | Note: Eligible | and waiti | ng clients | Pregnant/Postpa | rtum 2,323 | | | | |
| | | | 8.4% | (4%) | will be phase | | | Infants | | 2,476 | | | |
| | Ages (|)-1/ | 6,059 | 369 | Waivers as av | /ailabie. | | Children, age 1 | -4 | 3,313 | | | |
| | | | 11.9% | (6%) | | | | ΙοταΙ | | 8,112 | | | |
| | | EMDI | OVMENT | | | | | CANCER | | | | | |
| | | vage for jo | | | Home Health Age Patients Patients per 1 | ncies | 2 | Primary Site | INCIDENCE (20 | 103) | | | |
| lh' | / Linemn] | lovment com | nensation | su 1 \$37,079 | Home Hearth Age | FIICTES | 2 320 | Breast | | 170 | | | |
| l (r | olace of | work) | iperisacion | Ψ07,075 | Patients ner 1 | 10.000 non | 120 | Cervical | | 8 | | | |
| 1 | | • | | Annual | | | | Colorectal | | 114 | | | |
| La | abor For | ce Estimat | es | Average | Nursina Homes | | 2 | Lung and Bronchi | us | 163 | | | |
| | | | | | Licensed beds | | 132 | Prostate | | 152 | | | |
| (| Civiliar | n Labor For | ce | 100,667 | Occupancy rate | 9 | 90.2% | Other sites | | 418 | | | |
| | Number | employed | | 94,618 | Residents on D | Dec.31 | 110 | Prostate Other sites Total | | 1,025 | | | |
| | Number | unemploye | ed | 94,618 6,049 6.0% | Residents age | 65 or old | er | | | | | | |
| | Unemp | oloyment ra | ite | 6.0% | Nursing Homes Licensed beds Occupancy rate Residents age per 1,000 pop | oulation | 33 | Note: Ṭotalṣ sho | | | | | |
| | | | | | | | | invasive c | ancers only. | | | | |
| | | | | | | | | | | | | | |

| | | | | NATA | ITTY | | | | | |
|-----------------------------------------------------|------------------|---------|-----------|---------------------|-----------------------|-------------|------------|-----------------|-----------|---------------|
| TOTAL LIVE BIRTHS | | 2,499 | Birth O | | Births | Percent | Marital | Status | | |
| TOTAL LITE BITTING | | 2, 100 | First | | 928 | 37 | of Mothe | | Births | Percent |
| Crude Live Birth Rate | 1 | 13.0 | Secon | | 835 | 33 | Marrie | | 1,539 | 62 |
| General Fertility Rat | | 63.1 | Third | | 438 | | | | 960 | 38 |
| delier at Ter criticy had | .6 | 00.1 | | h or higher | | | Unknowr | | 0 | 0 |
| Live binthe with nene | n+ad | | Unkno | | 296 | 0 | UIIKIIUWI | ı | U | U |
| Live births with repo | | 0 4 00 | Ulikilo | WII | U | U | E d 4 d . | | | |
| congenital anomalies | 2 | 6 1.0% | | | | | Educațio | | D: 11 | |
| | | | | | | | of Mothe | | Births | Percent |
| | Births | Percent | | natal Visit | | Percent | | ary or les | | 4 |
| Vaginal after | | | | rimester | 2,068 | 83 | Some hi | igh school | 411 | 16 |
| previous cesarean | 51 26 | 2 | | rimester | 288 | 12 | High so | chool ollege | 694 | 28 |
| Forceps | 26 | 1 | 3rd t | rimester | 82 | 3 | Some co | ollege | 626 | 25 |
| Other vaginal Primary cesarean | 1,855 | 74 | No vi | sits | 288 82 21 40 | 1 | College | graduate | 668 | 27 |
| Primarv česarean | ² 342 | 14 | Unkno | | 40 | 2 | Unknowr | า ั | 3 | <.5 |
| Repeat cesarean | 225 | 9 | | | | | | | | |
| | | J | Prenata | l Visits | Births | Percent | Smoking | Status | | |
| Birthweight | Births | Percent | No vi | | 21 | 1 | of Mothe | | Births | Percent |
| <1 500 am | /18 | 1.9 | 1-4 | 0100 | 56 | 2 | Smoker | | 322 | 13 |
| 1 500 9 110 am | 125 | 5.4 | 5-9 | | 399 | 16 | Monomol | ker | 0 177 | 87 |
| 1,500-2,499 gill | 0 016 | 92.7 | 10-12 | | 1,076 | 43 | | | 2,177 | 0 |
| 2,500+ giii | 2,310 | 92.7 | | | | | Unknowr | 1 | U | U |
| <1,500 gm 1,500-2,499 gm 2,500+ gm Unknown | 0 | 0 | 13+ | | 882 | 35 | | | | |
| | | | Unkno | wn | 65 | 3 | | | | |
| | | | Low Rint | hweight | | Trimact | or of Fire | st Prenatal | Vicit | |
| | | | LOW BILL | ,500 gm) | 1ct Tn | imocton | | imester | | Unknown |
| Race/Ethnicity | Births P | oncont | Births | ,500 giii) | Dintho | Percent | | Percent | | Percent |
| | | | | | | | | | | |
| White | 1,705 | 68 | 105 | 6.2 | 1,507 | 88 | 130 | 8 | 68 | 4 |
| Black/Afr.American | 378 | | 54 | 14.3 | 276 | 73 | 67 | 18 | 35 | 9 |
| American Indian | 22 | . 1 | . : | _•_ | 16 | 73 | 3 | 14 | 3 | 14 |
| Hispanic/Latino | 356 | | 19 | 5.3 | 242 | 68 | 83 | 23 | 31 | 9 |
| Laotian/Hmong | 0 | 0 | | | | | | • | | |
| Hispanic/Latino Laotian/Hmong Other/Unknown | 38 | 2 | 5 | 13.2 | 27 | 71 | 5 | 13 | 6 | 16 |
| | | | Law Diat | | | | | | | |
| | | | Low Birt | nweignt ,500 gm) | 4 a.4 T.a | irimest | | st Prenatal | | I Independent |
| Ann of Mother | | rtility | (under, 2 | , suu giii) | ISL IF | Tilles rei. | | imester | | Unknown |
| Age of Mother | Births | Rate | `Births | rercent | | Percent | | Percent | | Percent |
| <15 | 4 | | * | | * | _: | * | _ : | * | . : |
| 15-17 | 91 | 23 | 9 | 9.9 | 53 | 58 | 27 | 30 | 11 | 12 |
| 18-19 | 186 | 69 | 20 | | 130 | 70 | 34 | 18 | 22 | 12 |
| 20-24 | 609 | 102 | 52 | 8.5 | 466 | 77 | 96 | 16 | 47 | 8 |
| 25-29 | 698 | 120 | 47 | 6.7 | 601 | 86 | 63 | 9 | 34 | 5 |
| 30-34 | 592 | 99 | 33 | 5.6 | 533 | 90 | 43 | 7 | 16 | 3 |
| 35-39 | 261 | 37 | 14 | 5.4 | 234 | 90 | 15 | 6 | 12 | 5 |
| 40+ | 58 | 7 | 7 | 12.1 | 51 | 88 | 6 | 10 | 1 | 2 |
| Unknown | 0 | | | | , | | | | | <u>-</u> |
| | J | | • | - | • | • | • | • | • | • |
| Teenage Births | 281 | 43 | | * Data not | reported | if age or | race cate | ory has le | ss than 5 | births. |

| REPORTED CASES OF SELECTED DISEASE | Note: Death r neonata Perinat | ates (except in l, and postneon al and fetal de | nfant) are natal death eath rates | per 100,000 population. n rates are per 1,000 live are per 1,000 live births lculated for fewer than 20 | Infant, births. plus | |
|-------------------------------------------------------------|-----------------------------------------|-------------------------------------------------------|-----------------------------------------|------------------------------------------------------------------------------------------------------------------|----------------------------|--------------------|
| Giardiasis | er TOTAL DEAT 37 Crude De 9 <5 | HS ath Rate | 1,498 777 | Selected Underlying Cause Heart Disease (total) Ischemic heart disease | 362 | Rate 188 124 |
| Hepatitis Type B** | 12 Age 00 1-4 | Deaths | Rate | Cancer (total) Trachea/Bronchus/Lung | 381 | 198 56 |
| Legionnaire's Lyme | 0 5-14 <5 15-19 | 5 4 | | Colorectal Female Breast | 40 23 | 21 24* |
| Measles Meningitis, Aseptic | 0 20-34 12 35-54 | 45 147 | 246 | Cerebrovascular Disease Lower Resp. Disease | 74 | 37 38 |
| Mumps | <5 55-64 0 65-74 | 164 272 | | Pneumonia & Influenza Accidents | 76 | 21 39 13 |
| Salmonellosis | 92 75-84 26 85+ <5 | 426 410 | 4,944 12,116 | Motor vehicle Diabetes | 40 | 13 21 13 |
| Tuberculosis | <5 Infant | | | Infect./Parasitic Dis. Suicide | 17 | |
| 2004 provisional data. Tincludes all positive HBsAg | | Deaths nt 25 | Rate 10.0 | * Based on female popul | ation. | |
| test results. | | 17 atal 8 | | ALCOHOL AND DRUG ABUSE OR CONTRIBUTING CAUS | | |
| Sexually Transmitted Disease Chlamydia Trachomatis 9 | 17 Race of Mo | | - | Alcohol Tobacco Use | 48 291 | 25 151 |
| Genital Herpes 1 Gonorrhea 1 | 14 White 93 Black | 6 13 | | Other Drugs | 28 | 15 |
| Syphilis | 5 Hispanic Laotian/Hm | ong . | | MOTOR VEHICLE | CRASHES | |
| IMMUNIZATIONS | Birthweigh | own 2 t | • | Note: These data are ba of crash, not on | | |
| Children in Grades K-12 by Compliance Level | 2.500+ am | 9 gm 2 | • | Type of Motor Vehicle Crash Total Crashes Alcohol-Related | Persons F Injured | Persons Killed |
| Compliant 36,072 Non-compliant 1,284 Percent Compliant 96.6 | Perinatal | | • | Alcohol-Related With Citation: | 195 | |
| · | Mortality Total Peri | Deaths natal 29 | Rate 11.5 | For OWI For Speeding | 153 184 | 5 |
| | Neonatal Fetal | natal 29 17 12 | | Motorcyclist Bicyclist Pedestrian | 94 65 76 | 1 1 1 |

| | | Per | Average | | Charge | | | Per | Average | | Charge |
|----------------|------------------|-------|------------|-----------------------|--------------|------------------------------|------------|---------|----------|---------------|--------------|
| DISEASE / | | 1,000 | Stay | Average | Per | DISEASE / | | 1,000 | Stay | Average | Per |
| AGE GROUP | Number | Р́ор | (Days) | | Capita | AGE GROUP | Number | Р́ор | (Days) | Charge | Capita |
| Injury-Related | : All | | | | | Alcohol-Related | t | | | | |
| Ťotál | 1,890 | 9.8 | 5.0 | \$22,572 | \$221 | Total | 348 | 1.8 | 4.0 | \$7,938 | \$14 |
| <18 | [´] 162 | 3.3 | | \$13,562 | \$45 | 18-44 | 179 | 2.5 | 3.4 | \$6,591 | \$16 |
| 18-44 | 494 | 6.8 | 4.3 | \$22,964 | \$157 | 45-64 | 134 | 2.8 | 4.3 | \$9,126 | \$25 |
| 45-64 | 505 | 10.4 | | \$23,493 | \$244 | Pneumonia and 1 | | | | +-, | + |
| 65+ | 729 | 30.9 | 5.9 | \$23,671 | \$732 | Total | 712 | 3.7 | 5.1 | \$13,355 | \$49 |
| Injury: Hip | | 0010 | 0.0 | Ψ20,071 | Ψ/ 02 | <18 | 52 | 1.1 | 2.6 | \$6,575 | \$7 |
| Total | 209 | 1.1 | 6.3 | \$25,224 | \$27 | 45-64 | 146 | 3.0 | 5.0 | \$14,740 | \$44 |
| 65+ | 184 | 7.8 | 6.4 | | \$197 | 65+ | 437 | 18.5 | | \$13,604 | \$252 |
| Injury: Pois | nninas | 7.0 | 0.4 | Ψ20,201 | Ψ131 | Cerebrovascular | | 10.5 | 0.0 | Ψ10,004 | ΨΖΟΖ |
| Total | 213 | 1.1 | 2.6 | \$9,010 | \$10 | Total | 554 | 2.9 | 4.7 | \$18,792 | \$54 |
| 18-44 | 113 | 1.6 | 2.5 | \$9,139 | \$14 | 45-64 | 140 | 2.9 | | \$10,732 | \$55 |
| 10-44 | 110 | 1.0 | 2.5 | ψ9,109 | Ψ14 | 65+ | 385 | 16.3 | 4.5 | \$17,224 | \$281 |
| Psychiatric | | | | | | Chronic Obstruc | | | | Ψ11,224 | Ψ201 |
| Total | 1 017 | 9.4 | 7.9 | \$8,445 | \$80 | Total | 508 | 2.6 | 3.5 | \$8,431 | \$22 |
| <18 | 1,817 483 | 10.0 | 7.9 7.5 | \$8,041 | \$80 \$80 | | | 1.8 | 1.9 | \$4,332 | ₽∠∠ \$8 |
| | | | 7.3 | | \$80 \$90 | <18 18-44 45-64 65+ | 89 05 | 1.8 | 2.9 | | ъв \$8 |
| 18-44 | 871 | 12.0 | | \$7,500 | | 18-44 | 85 | | | \$6,810 | |
| 45-64 | 338 | 6.9 | 8.3 | \$9,157 | \$64 | 45-64 | 131 | 2.7 | 3.5 | \$8,997 | \$24 |
| 65+ | 125 | 5.3 | 13.2 | \$14,671 | \$78 | , 55 | 203 | 8.6 | 4.3 | \$10,543 | \$91 |
| O 11 t | D: | | | | | Drug-Related | 4.40 | | 4.0 | AC 000 | Φ. |
| Coronary Heart | Disease | 0.4 | 0.5 | #05 000 | 0010 | Total | 148 | 0.8 | 4.9 | \$6,288 | \$5 |
| Total | 1,170 | 6.1 | | \$35,002 | \$212 | 18-44 | 105 | 1.5 | 4.3 | \$5,608 | \$8 |
| 45-64 | 470 | 9.7 | | \$36,861 | \$356 | | | | | | |
| 65+ | 618 | 26.2 | 3.8 | \$34,001 | \$892 | Total Hospitali | ızatıons | 404 = | | 44.040 | 4.004 |
| | | | | | | Total | 25,360 | 131.5 | 4.4 | \$14,942 | |
| Malignant Neop | | | | | | <18 | 4,351 | 89.9 | 3.5 | \$7,198 | \$647 |
| Total | 8 <u>5</u> 1 | 4.4 | 6.2 | \$26,440 | \$117 | 18-44 | 6,816 | 94.3 | 3.6 | \$11,509 | \$1,085 |
| 18-44 | 55 | 0.8 | 5.3 | \$30,001 | \$23 | 45-64 | | 115.5 | 4.5 | \$19,128 | \$2,209 |
| 45-64 | 336 | 6.9 | 5.7 | \$26,809 | \$185 | 65+ | 8,573 | 363.9 | 5.5 | \$18,857 | \$6,862 |
| 65+ | 445 | 18.9 | 6.6 | \$25,127 | \$475 | | | | | | |
| Neoplasms: F | | | | temale po | | PF | | | | | |
| | 77 | 0.8 | 2.0 | \$16,095 [°] | \$13 | Total | 3,170 | 16.4 | | \$12,959 | \$213 |
| Neoplasms: C | | L | | | | <18 | 300 | 6.2 | 2.3 | \$6,960 | \$43 |
| Total | 93 | 0.5 | 7.9 | \$30,314 | \$15 | 18-44 | 466 | 6.4 | 3.6 | \$10,860 | \$70 |
| 65+ | 64 | 2.7 | 8.5 | \$31,321 | \$85 | 45-64 | 687 | 14.1 | | \$13,743 | \$194 |
| Neoplasms: L | ung | | | • | | 65+ | 1,717 | 72.9 | 5.1 | \$14,264 | \$1,039 |
| Total | 86 | 0.4 | 6.6 | \$24,826 | \$11 | | ŕ | | | ŕ | · |
| Diabetes | | | | | | * Hospitalizations | s for cond | itions | where t | imely and | effecti |
| Total | 324 | 1.7 | | \$16,954 | \$28 | ambulatory care ca | an reduce | the lik | celihood | of ȟospi | talizat |
| 65+ | 115 | 4.9 | | \$18,715 | \$91 | 1 | | | | • | |
| | | | | | | | | | | | |